



# Powerful single-threaded performance



Dell Pro Max Tower T2

Überreicht durch:




**systemworkx**  
IT-Lösungen & 3D Produktivität erleben

[www.systemworkx.de](http://www.systemworkx.de) | [info@systemworkx.de](mailto:info@systemworkx.de) | Fon: 089 898 678 0 oder 0821 998 648 1



# Ports & Slots



- 1 Power Button
- 2 Global headset jack
- 3 USB 3.2 Gen 1 (5Gbps)
- 4 USB 3.2 Gen 1 (5Gbps) with PowerShare
- 5 USB 3.2 Gen 2 (10Gbps) Type-C
- 6 USB 3.2 Gen 2x2 (20Gbps) Type-C with PowerShare

- 7 Power Connector
- 8 (2) DisplayPort 1.4a HBR3
- 9 USB 3.2 Gen 2x2 (20Gbps) Type-C
- 10 Optional port module (TBT4 (40Gbps) + USB-C (10Gbps) data , DP alt-mode Type-C (10Gbps), HDMI 2.1, DP 2.1, 5GbE LAN, 2x USB-A 3.2 (10Gbps), VGA, 5GbE Optical)
- 11 Thunderbolt port
- 12 (2) USB 2.0 (480Mbps) ports with SmartPower
- 13 (2) USB 3.2 Gen 2 (10Gbps)
- 14 RJ45 (1GbE) Ethernet

FEATURE	TECHNICAL SPECIFICATION
<b>MODEL NUMBER</b>	Dell Pro Max Tower T2
<b>PROCESSOR<sup>1</sup></b>	Intel® Core™ Ultra 5 235 (24 MB cache, 14 cores, 14 threads, 3.4 GHz to 5.0 GHz, 65W) Intel® Core™ Ultra 5 245 (24 MB cache, 14 cores, 14 threads, 3.5 GHz to 5.1 GHz, 65W) Intel® Core™ Ultra 5 245K (24 MB cache, 14 cores, 14 threads, 4.2 GHz to 5.2 GHz, 125W) Intel® Core™ Ultra 7 265 (30 MB cache, 20 cores, 20 threads, 2.4 GHz to 5.3 GHz, 65W) Intel® Core™ Ultra 7 265K (30 MB cache, 20 cores, 20 threads, 3.9 GHz to 5.5 GHz, 125W) Intel® Core™ Ultra 9 285 (36 MB cache, 24 cores, 24 threads, 2.5 GHz to 5.6 GHz, 65W) Intel® Core™ Ultra 9 285K (36 MB cache, 24 cores, 24 threads, 3.7 GHz to 5.7 GHz, 125W)
<b>OPERATING SYSTEM<sup>1</sup></b>	Windows 11 Home Windows 11 Home High End Windows 11 Pro Windows 11 Pro National Academic Windows 11 Pro for Workstations Windows 11 IoT Enterprise 2024 LTSC Ubuntu® Linux® 24.04 LTS Red Hat Linux® 8.6 Enterprise
<b>MEMORY<sup>1,2,3</sup></b>	8 GB: 1 x 8 GB, DDR5, 5600 MT/s, UDIMM, Non-ECC, single-channel 16 GB: 2 x 8 GB, DDR5, 5600 MT/s, UDIMM, Non-ECC, dual-channel 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, UDIMM, Non-ECC, single-channel 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, UDIMM, Non-ECC, dual-channel 32 GB: 4 x 8 GB, DDR5, 4800 MT/s, UDIMM, Non-ECC, dual-channel 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, UDIMM, Non-ECC, dual-channel 64 GB: 4 x 16 GB, DDR5, 4800 MT/s, UDIMM, Non-ECC, dual-channel 128 GB: 4 x 32 GB, DDR5, 4400 MT/s, UDIMM, Non-ECC, dual-channel  16 GB: 1 x 16 GB, DDR5, 5600 MT/s, UDIMM, ECC, single-channel 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, UDIMM, ECC, dual-channel 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, UDIMM, ECC, dual-channel 64 GB: 4 x 16 GB, DDR5, 4800 MT/s, UDIMM, ECC, dual-channel 128 GB: 4 x 32 GB, DDR5, 4400 MT/s, UDIMM, ECC, dual-channel
<b>PRIMARY HARD DISK DRIVE<sup>1,5</sup></b>	<b>Solid-state drives</b> 256 GB, M.2 2230, PCIe NVMe Gen4, SSD, Class 35 512 GB, M.2 2230, PCIe NVMe Gen4, SSD, Class 35 512 GB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 1 TB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 2 TB, M.2 2280, PCIe NVMe Gen4 x4, SSD, Self-Encrypting Opal 2.0, Class 40 4 TB, M.2 2280, PCIe NVMe Gen4 x4, SSD Self-Encrypting Opal 2.0, Class 40 1 TB, M.2 2280, PCIe NVMe Gen5 x4, SSD, Self-Encrypting, Opal 2.0, FIPS 2 TB, M.2 2280, PCIe NVMe Gen5 x4, SSD, Self-Encrypting, Opal 2.0, FIPS  <b>Hard drives</b> 4 TB, 3.5-inch, 5400 RPM, SATA, HDD 1 TB, 3.5-inch, 7200 RPM, SATA, HDD 2 TB, 3.5-inch, 7200 RPM, SATA, HDD 4 TB, 3.5-inch, 7200 RPM, SAS, Enterprise HDD 8 TB, 3.5-inch, 7200 RPM, SAS, Enterprise HDD
<b>VIDEO CARD</b>	<b>NVIDIA:</b> NVIDIA® RTX™ A400, 4 GB GDDR6 NVIDIA® RTX™ A1000, 8 GB GDDR6 NVIDIA® GeForce RTX™ 4060, 8 GB GDDR6 NVIDIA® RTX™ 2000 Ada, 16 GB GDDR6 NVIDIA® RTX™ 4000 Ada, 20 GB GDDR6 NVIDIA® RTX™ 4500 Ada, 24 GB GDDR6 NVIDIA® RTX™ 5000 Ada, 32 GB GDDR6 NVIDIA® RTX™ 6000 Ada, 48 GB GDDR6  <b>AMD:</b> AMD Radeon™ Pro W7500, 8 GB GDDR6 AMD Radeon™ Pro W7600, 8 GB GDDR6
<b>DISPLAY</b>	N/A
<b>CASE COLOR</b>	Dell Standard Black
<b>PRODUCTIVITY SW<sup>1</sup></b>	Microsoft Office 30-day Trial Microsoft Office Home and Business 2021 Microsoft Office Professional 2021 Dell Optimizer for Precision Premier Color Dell Support Assist (Exaclibur) DDRE (Dell Developed Recovery Environment ) Intel WiFi Direct Dell Support Center Teradici Soft Host (Cloud) and Client Validation (CAS+)

FEATURE	TECHNICAL SPECIFICATION
<b>MODEL NUMBER</b>	Dell Pro Max Tower T2
<b>SECURITY SW</b>	<p>McAfee® Small Business Security 30-day Trial            McAfee® Small Business Security 12-month Subscription            McAfee® Small Business Security 36-month Subscription            Security software per software functional plan/cycle list            Dell Data Protection   Personal Edition (DDP   E PE) or Dell Encryption Personal (Future Name)            Dell Data Protection   Enterprise Edition (DDP   E EE) or Dell Encryption Enterprise (Future Name)            Dell Data Protection   External Media Edition (DDP   E EME) or Dell Encryption External Media (Future Name)            Data Leakage Protection (DLP) or Dell Data Guardian (new name)            Dell Data Protection   Bitlocker Manager (DDP   BLM)            VMWare Airwatch            Dell Data Protection   Endpoint Security Suite or Dell Endpoint Security Suite Pro            Dell Data Protection   Endpoint Security Suite Enterprise or Dell Endpoint Security Suite Enterprise            Mozy (Cloud Backup)            Dell Threat Defense            RSA SecureID            RSA NetWitness Endpoint            Absolute Data and Device Security            D-Pedigree (Secure Supply Chain Functionality)            Microsoft Windows Bitlocker Manager            Support for Encryption SED HDD's (Opal FIPS and non FIPS, SATA, PCIe)            Support eDRIVE Storage including RAID            Support UEFI-Preboot Authentication (PBA) solution for Windows 10            Local HDD data wipe via BIOS ("Secure Erase")            BIOS Administrative Password            BIOS Password            BIOS HDD password option (default off)            Windows 10 Device Guard and Credential Guard            BIOS Data Port On/Off - Data Port disablement            Intel Secure Boot (TXT + TPM) - Launch control policy            Intel's Identity Protection (IPT)            Intel Guard Technologies &amp; Secure Key            Secure update of pre-boot password(s) via remote BIOS update</p>
<b>WARRANTY<sup>9,10</sup></b>	<p>1Y Basic Hardware Warranty Service with Onsite Service after Remote Diagnosis            2Y Basic Warranty Extension            3Y Basic Warranty Extension            4Y Basic Warranty Extension            5Y Basic Warranty Extension            1Y ProSupport with Next Business Day Onsite service            2Y ProSupport with Next Business Day Onsite service            3Y ProSupport with Next Business Day Onsite service            4Y ProSupport with Next Business Day Onsite service            5Y ProSupport with Next Business Day Onsite service            1Y ProSupport Plus for Client with Next Business Day Onsite service            2Y ProSupport Plus for Client with Next Business Day Onsite service            3Y ProSupport Plus for Client with Next Business Day Onsite service            4Y ProSupport Plus for Client with Next Business Day Onsite service            5Y ProSupport Plus for Client with Next Business Day Onsite service</p>
<b>ACCIDENTAL DAMAGE SERVICES</b>	<p>1-year Accidental Damage Service            2-year Accidental Damage Service            3-year Accidental Damage Service            4-year Accidental Damage Service            5-year Accidental Damage Service</p>
<b>KEYBOARD</b>	N/A
<b>PORTS</b>	<p><b>Front:</b>            1 USB 3.2 Gen 1 (5Gbps) port            1 USB 3.2 Gen 1 (5Gbps) port with PowerShare            1 USB 3.2 Gen 2 (10Gbps) Type-C port            1 USB 3.2 Gen 2x2 (20Gbps) Type-C port with PowerShare            1 Global headset jack            1 SD 7.0 Express-card slot (Optional)</p> <p><b>Rear:</b>            2 USB 2.0 (480Mbps) ports with SmartPower            2 USB 3.2 Gen 2 (10Gbps) ports            1 USB 3.2 Gen 2x2 (20Gbps) Type-C port            1 RJ45 (1GbE) Ethernet port            2 DisplayPort 1.4a HBR3 ports            1 Optional port (TBt4 (40Gbps) + USB-C (10Gbps) data , DP alt-mode Type-C (10Gbps), HDMI 2.1, DP 2.1, 5Gbe LAN, 2x USB-A 3.2 (10Gbps), VGA, 5GbE Optical)</p>
<b>OPTICAL DRIVE</b>	<p>8x DVD-ROM 9.5mm optical drive            8x DVD+/-RW 9.5mm optical drive            Integrated Smart Card Reader with Contact and Contactless Support (CAC/PIV)</p>
<b>SLOTS</b>	<p>4 SATA 3.5-inch HDD/ODD            2 M.2 2230/2280 PCIe Gen4 slots            1 M.2 2230/2280 PCIe Gen5 slot            1 PEG full-height Gen5 PCIe x16 slot            1 full-height, half-length Gen3 x4 PCIe closed-end slot            1 full-height, full-length Gen4 x4 PCIe open-end slot            1 full-height, full-length Gen3 x4 PCIe open-end slot</p>

FEATURE	TECHNICAL SPECIFICATION
MODEL NUMBER	Dell Pro Max Tower T2
DIMENSIONS	<p><b>US</b>            Height: 15.24 in. (387.00 mm)            Width: 7.40 in. (187.70 mm)            Depth: 17.24 in. (438.00 mm)            Weight:            Maximum: 50.70 lbs. (23 kg)            Minimum: 18 lbs. (8.17 kg)</p> <p><b>Rest of the world</b>            Height: 387.00 mm (15.24 in.)            Width: 187.70 mm (7.40 in.)            Depth: 438.00 mm (17.24 in.)            Weight:            Maximum: 23 kg (50.70 lbs.)            Minimum: 8.17 kg (18 lbs.)</p>
CAMERA	N/A
AUDIO N SPEAKERS <sup>1</sup>	Stereo speakers with Waves MaxxAudio® 14 - Realtek ALC3204 Internal speakers
CHASSIS	Full-size tower
WIRELESS	Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MIMO, Bluetooth 5.4 wireless card Qualcomm® Wi-Fi 7 DBS WCN7851, 2x2, 802.11be, MIMO, Bluetooth 5.4 wireless card
PRIMARY BATTERY	N/A
POWER	<p><b>Power supplies</b>            360W internal power supply unit (80PLUS Platinum Certified)            500W internal power supply unit (80PLUS Platinum Certified)            1500W internal power supply unit (80PLUS Platinum Certified)</p>
REGULATORY <sup>8,12</sup>	<a href="#">Product Safety, EMC and Environmental Datasheets</a> <a href="#">Dell Regulatory Compliance Home Page</a> <a href="#">Responsible Business Alliance Policy</a>
CHIPSET	Intel® W880
HARDWARE SECURITY	1 Kensington security-cable slot 1 Padlock loop 1 Lockable Cable Cover (optional) 1 Lockable Bezel and Key for Front Accessible SATA HDD (optional) Chassis intrusion switch Trusted Platform Module TPM 2.0 Intel Integrated TPM
RECOMMENDED ACCESSORIES	<p><b>Mouse:</b>            Dell Pro Premium Collaboration Keyboard and Mouse - KM900</p> <p><b>Audio Headsets:</b>            Dell Slim Soundbar - SB521A            Dell Pro Plus Wireless ANC Headset - WL5024            Dell Speakerphone - SP3022</p> <p><b>Display:</b>            Dell Pro 27 Plus Monitor - P2725H</p> <p><b>Keyboards:</b>            Dell Pro Plus Keyboard and Mouse - KM7321W</p> <p><b>Webcam:</b>            Dell Pro Webcam - WB5023</p>
SYSTEM MANAGEMENT	Intel vPro® Intel vPro® over wireless Intel Standard Manageability (ISM) No OOB Management / ME Disabled DASH (through AMT and ISM) OOB Diags Error Code Push Dell Command   Integration Suite for SCCM (DCIS) Dell Command   Intel® vPro® Out of Band (DCIV) Dell Command   Monitor (DCM) - Asset Inventory and Alerts Management - BIOS Configuration via Dell Command   Configure and Dell Command   PowerShell Provider - AMT Configuration
CONFIGURATION SERVICES	Factory image load BIOS customization Hardware customization Asset Tagging and Reporting
ADD-IN CARD <sup>9</sup>	Intel® Ethernet Network Adapter x710 GbE NIC Card Intel® Ethernet Network Adapter i226 2.5 GbE NIC Card Serial PCIe card WLAN External Antenna AIC Zoom2 Gen4 card

## Legal disclaimers

### Page 3-5

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Owner's Manual published on [www.dell.com/support](http://www.dell.com/support).
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality.
5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
6. TPM is available in selected regions.
7. Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at [www.lockforlaptops.com](http://www.lockforlaptops.com)
8. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation.
9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
10. Onsite service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).
12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information [www.dell.com/support/home/19](http://www.dell.com/support/home/19).